



Cod. 3930



Carrello completo di serbatoio in polietilene da 90L, 10m di gomma e lancia a leva 60cm.

Wheelbarrow type complete with 90L polyethylene tank, 10m rubber hose and 60cm nozzle.



Avvolgitubo (optional)
Hose reel (optional)

Spray hose PL ø8mm L 50m
Gomma telata • Rubber hose ø8mm L 100m

Codice Code	Dimensioni Dimensions LxWxH (cm)	Peso Weight Kg
3921	58x59x39	14
3925	58x59x39	35

	Modello Model	Portata Delivery L/min	Pressione Pressure bar	Caratteristiche motore Engine characteristics		Codice Code	Dimensioni Dimensions LxWxH (cm)	Peso Weight Kg
	AR DUE EM	13	20	1 ~	1.2 HP	145	51x25x35	12
	AR DUE ET	13	20	3 ~	1.2 HP	146	51x25x35	12
	AR DUE S	13	20	CM 46/CE	2 HP	131	45x34x40	10
	AR DUE S	13	20	OLEOMAC S50	1.8 HP	129	45x34x40	8
	AR DUE S	13	20	VB MASTER 50	2 HP	134	45x34x40	9
	AR 202 EM	20	20	1 ~	1.2 HP	202	51x25x35	17
	AR 202 ET	20	20	3 ~	1.2 HP	203	51x25x35	17
	AR 202 S	20	20	CM 46/CE	2 HP	205	45x34x40	12
	AR 202 S	20	20	OLEOMAC S50	1.8 HP	206	45x34x40	10
	AR 202 S	20	20	VB MASTER 50	2 HP	207	45x34x40	11
	AR 252 EM	25	25	1 ~	1.5 HP	215	51x25x35	18
	(Ω) AR 252 ET	25	25	3 ~	1.5 HP	216	51x25x35	18
	AR 252 S	25	25	KAMA KB 30D	2.5 HP	231	45x34x40	19 NEW
	AR 252 S	25	25	B & S	3.5 HP	226	45x34x40	19
	AR 252 S	25	25	HONDA GX120	4 HP	228	45x34x40	20
	(Ω) AR 252 S	25	25	HONDA GC135	4 HP	229	45x34x40	18

(Ω) Con gruppo regolazione, completo di manometro e rubinetto / With regulation unit, pressure gauge and ball valve

CAR 90 / P

Caratteristiche carrello
Wheelbarrow features

Modello • Model **CAR 90 / P**
Codice • Code **3931**
Dimensioni • Dimensions
LxWxH (cm) **90x67x68**
Peso • Weight **23 kg**

NEW

7



Cod. 3931



Carrello completo di serbatoio in polietilene da 90L, 10m di gomma e lancia a leva 60cm.

Wheelbarrow type complete with 90L polyethylene tank, 10m rubber hose and 60cm nozzle.



Avvolgitubo (optional)
Hose reel (optional)

Codice Code	Dimensioni Dimensions LxWxH (cm)	Peso Weight Kg
3923	58x59x39	16
3927	58x59x39	38

Spray hose PL ø10mm L 50m

Gomma telata • Rubber hose ø10mm L 100m

	Modello Model	Portata Delivery L/min	Pessione Pressure bar	Caratteristiche motore Engine characteristics	Codice Code	Dimensioni Dimensions LxWxH (cm)	Peso Weight Kg
	AR 303 EM	30	30	1 ~ 2 HP	241	68x41x39	33
	AR 303 EM	30	35	1 ~ 2.5 HP	242	68x41x39	33
	AR 303 ET	30	40	3 ~ 4 HP	246	68x41x39	41
	AR 303 S	30	40	KOHLER CS6T 5 HP	259	68x41x39	29 NEW
	AR 303 S	30	40	HONDA GC135 4 HP	256	68x41x39	24
	AR 303 S	30	40	HONDA GC160 5 HP	257	68x41x39	25
	AR 303 S	30	40	KAMA KB65D2 6.5 HP	260	68x41x39	29 NEW
	AR 303 S	30	40				
	AR 403 EM	40	30	1 ~ 3 HP	466	68x41x39	35
	AR 403 ET	40	40	3 ~ 5.5 HP	469	68x41x39	41
	AR 403 S	40	40	KOHLER CS 6T 5 HP	480	68x41x39	29 NEW
	AR 403 S	40	40	HONDA GC160 5 HP	478	68x41x39	25
	AR 403 S	40	40	HONDA GX160 5.5 HP	476	68x41x39	29
	AR 403 S	40	40	B & S 6.5 HP	475	68x41x39	30
	AR 403 S	40	40	KAMA KB 65 D2 6.5 HP	481	68x41x39	29 NEW
	AR 30 EM	35	30	1 ~ 2.5 HP	346	68x41x39	31
	AR 30 ET	35	40	3 ~ 4 HP	349	68x41x39	31
	AR 30 S	35	40	HONDA GC135 4 HP	350	68x41x39	25
	AR 30 S	35	40	HONDA GC160 5 HP	351	68x41x39	26
	AR 30 S	35	40	KAMA KB 65 D2 6.5 HP	339	68x41x39	29 NEW
	AR 30 S	35	40	HONDA GX160 5.5 HP	329	68x41x39	29

CAR 75

CAR 90

CAR 130



Supporto portalanca
Lance holding bracket



Porta accessori
Accessories holder



Ruote pneumatiche gonfiabili
Inflatable rubber wheels



Tanica lavamani
integrata 5Lt.
Integrated 5 litre
handwash tank



Avvolgitubo PL con blocco
manuale antisrotolamento
Hose reel PL with manual stop to
prevent hose unwinding



Indicatore livello esterno con banda graduata
External level indicator with graduated scale



Cisterna a svuotamento totale
Total drainage cistern



Filtro serbatoio
Tank filter