



fluimac®

pump solution

PHOENIX

Made in Italy

Detaljne tehničke karakteristike kao i sav naš asortiman možete pronaći ovdje :

<https://www.fluimac.com/en/pages/11-download>



FLUIMAC'S CERTIFICATES




CE CONFORMITY MARKING



ATEX



ISO 9001:2015



FDA COMPLIANT



EAC CONFORMITY MARKING

Phoenix 7

Connections: 1/4"
Max flow-rate: 8 lt/min

Pump
casing

Diaphragms

Balls

Ball
seats



PP	NBR+PTFE	PTFE INOX	PP	
----	----------	--------------	----	--



PVDF	NBR+PTFE	PTFE	PVDF	
------	----------	------	------	--







POM	NBR+PTFE	PTFE INOX	POM	
-----	----------	--------------	-----	--

Extra-charge

Extra connections	PP / PVDF / POM	
-------------------	-----------------	--

Phoenix 18

Connections: 3/8"
Max flow-rate: 20 lt/min





	Pump casing	Diaphragms	Balls	Ball seats	
	PP	HYTREL	PTFE EPDM	PP / PE	
			SANTOPRENE	INOX NBR	PP / PE
					INOX
		HYTREL+PTFE	PTFE EPDM	PP	
			SANTOPRENE + PTFE	INOX NBR	PP
					INOX
	PVDF	SANTOPRENE + PTFE	PTFE INOX	PVDF	
	POM	HYTREL	PTFE EPDM	POM / PE	
			SANTOPRENE	INOX NBR	POM / PE
		HYTREL+PTFE		PTFE EPDM	POM
			SANTOPRENE + PTFE	INOX NBR	POM
			AISI 316	HYTREL+PTFE	PTFE INOX

Extra-charge

Extra connections	PP / PVDF / POM	
	INOX	
Twin manifolds	PP / PVDF / POM	
	INOX	

Phoenix 30

Connections: 1/2"
Max flow-rate: 35 lt/min







	Pump casing	Diaphragms	Balls	Ball seats	
	PP	HYTREL	PTFE EPDM	PP / PE	
			SANTOPRENE	INOX NBR	PP / PE
					INOX
		HYTREL+PTFE	PTFE EPDM	PP	
			SANTOPRENE + PTFE	INOX NBR	PP
					INOX
	PVDF	SANTOPRENE + PTFE	PTFE INOX	PVDF	
	ALU	HYTREL	PTFE EPDM	ALU / PE	
			SANTOPRENE	INOX NBR	INOX
		HYTREL+PTFE		PTFE EPDM	ALU
			SANTOPRENE + PTFE	INOX NBR	INOX
			AISI 316	HYTREL+PTFE	PTFE INOX

Extra-charge

Extra connections	PP / PVDF / POM	
	INOX	
Twin manifolds	PP / PVDF / POM	
	INOX	





Phoenix 55

Connections: 1/2"
Max flow-rate: 55 lt/min

	Pump casing	Diaphragms	Balls	Ball seats	
	PP	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PP / PE	
			INOX NBR	INOX	
				PP / PE	
				INOX	
	PP	HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	PP	
			INOX NBR	PP	
				INOX	
	PVDF	SANTOPRENE + PTFE	PTFE INOX	PVDF	
	AISI 316	HYTREL+PTFE	PTFE INOX	INOX	
	ALU	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PE ALU	
			INOX NBR	PE ALU	
	ALU	HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	ALU	
			INOX NBR	ALU	
Extra-charge					
Extra connections			PP		
			PVDF		
			ALU / INOX		
Twin manifolds			PP / PVDF / ALU		
			INOX		

Phoenix 60

Connections: 1/2"
Max flow-rate: 60 lt/min

	Pump casing	Diaphragms	Balls	Ball seats	
	PP	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PP / PE	
			INOX NBR	INOX	
		HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	PP	
			INOX NBR	PP INOX	
	PVDF	SANTOPRENE + PTFE	PTFE INOX	PVDF	
	AISI 316	HYTREL+PTFE	PTFE INOX	INOX	
	ALU	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PE ALU	
			INOX NBR	PE ALU	
		HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	ALU	
			INOX NBR	ALU	

Extra-charge

Extra connections	PP	
	PVDF	
	ALU / INOX	
Twin manifolds	PP / PVDF / ALU	
	INOX	

Phoenix 100

Connections: 3/4"
Max flow-rate: 110 lt/min



Pump casing	Diaphragms	Balls	Ball seats	
ALU	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PE ALU	
		INOX NBR	PE ALU	
	HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	ALU	
		INOX NBR	ALU	

Extra-charge

Extra connections	ALU	
Twin manifolds	ALU	

Phoenix 120

Connections: 1"
Max flow-rate: 120 lt/min



Pump casing	Diaphragms	Balls	Ball seats	
PP	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PP / PE	
			INOX	
	SANTOPRENE + PTFE	INOX NBR	PP / PE	
			INOX	



PVDF	SANTOPRENE + PTFE	PTFE INOX	PVDF	
------	----------------------	--------------	------	--



AISI 316	HYTREL+PTFE	PTFE INOX	INOX	
----------	-------------	--------------	------	--

Extra-charge

Extra connections	PP	
	PVDF	
	INOX	
Twin manifolds	PP / PVDF	
	INOX	

Phoenix 160

Connections: 1"
Max flow-rate: 170 lt/min






Pump casing	Diaphragms	Balls	Ball seats	
ALU	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PE ALU	
		INOX NBR	PE ALU	
	HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	ALU	
		INOX NBR	ALU	

Extra-charge

Extra connections	ALU	
Twin manifolds	ALU	

Phoenix 170

Connections: 1"
Max flow-rate: 170 lt/min

	Pump casing	Diaphragms	Balls	Ball seats	
	PP	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PP / PE	
				INOX	
			INOX NBR	PP / PE	
			INOX		
	PVDF	HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	PP	
				INOX NBR	PP
				INOX	
	AISI 316	HYTREL+PTFE	PTFE INOX	INOX	

Extra-charge

Extra connections	PP	
	PVDF	
	INOX	
Twin manifolds	PP / PVDF	
	INOX	

Phoenix 250

Connections: 1" 1/4
Max flow-rate: 250 lt/min






Pump casing	Diaphragms	Balls	Ball seats	
ALU	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PE ALU	
		INOX NBR	PE ALU	
	HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	ALU	
		INOX NBR	ALU	

Extra-charge

Extra connections	ALU	
Twin manifolds	ALU	

Phoenix 252

Connections: 1" 1/4
Max flow-rate: 250 lt/min







	Pump casing	Diaphragms	Balls	Ball seats	
	PP	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PP / PE	
				INOX	
			INOX NBR	PP / PE	
			INOX		
		HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	PP	
			INOX NBR	PP INOX	
	PVDF	SANTOPRENE + PTFE	PTFE INOX	PVDF	
	AISI 316	HYTREL+PTFE	PTFE INOX	INOX	

Extra-charge

Extra connections	PP	
	PVDF	
	INOX	
Twin manifolds	PP / PVDF	
	INOX	





Phoenix 400

Connections: 1" 1/2
Max flow-rate: 400 lt/min

	Pump casing	Diaphragms	Balls	Ball seats	
	PP	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PP / PE	
				INOX	
			INOX NBR	PP / PE	
			INOX		
	PP	HYTREL+PTFE	PTFE EPDM	PP	
		SANTOPRENE + PTFE	INOX NBR	PP INOX	
	PVDF	SANTOPRENE + PTFE	PTFE INOX	PVDF	
	AISI 316	HYTREL+PTFE	PTFE INOX	INOX	
	ALU	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	ALU	
				PE	
			INOX NBR	ALU	
			PE		
	ALU	HYTREL+PTFE	PTFE EPDM	ALU	
		SANTOPRENE + PTFE	INOX NBR	ALU	
Extra-charge					
Extra connections			PP		
			PVDF		
			ALU		

Phoenix 700

Connections: 2"
Max flow-rate: 700 lt/min

	Pump casing	Diaphragms	Balls	Ball seats		
	PP	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PP / PE		
				INOX		
			INOX NBR	PP / PE		
				INOX		
		HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	PP		
				INOX NBR	INOX	
			PP			
			INOX			
	PVDF	SANTOPRENE + PTFE	PTFE INOX	PVDF		
	AISI 316	HYTREL+PTFE	PTFE INOX	INOX		
	ALU	HYTREL SANTOPRENE NBR EPDM	PTFE EPDM	PE ALU		
				INOX NBR	PE ALU	
			HYTREL+PTFE SANTOPRENE + PTFE	PTFE EPDM	ALU	
					INOX NBR	ALU
					ALU	
					ALU	
Extra-charge						
Extra connections			PP			
			PVDF			
			ALU			

Phoenix 1000

Connections: 3"
Max flow-rate: 1050 lt/min



Pump casing	Diaphragms	Balls	Ball seats	
PP	HYTREL SANTOPRENE	NBR EPDM	PP	
		PTFE	PP	
	SANTOPRENE + PTFE	NBR EPDM	PP	
		PTFE	PP	



AISI 316	SANTOPRENE + PTFE	PTFE	INOX	
----------	----------------------	------	------	--



ALU	HYTREL SANTOPRENE	NBR EPDM	ALU	
		PTFE	ALU	
	SANTOPRENE + PTFE	NBR EPDM	ALU	
		PTFE	ALU	