

BH(Q) Potopne crpke



50 Hz

INOX POTOPNE PUMPE


DOSTUPNE IZ MATERIJALA : INOX-a 304

DOSTUPNE IZ MATERIJALA : INOX-a 316


STANDARD

N - VERZIJA

BHQ 3



Dimenzije i težine



101 mm - Maksimalni promjer crpke uključujući zaštitu kabela i motor.

Tip crpke	Motor		C	Dimenzije [mm]				Neto težina [kg]	
	Tip	Snaga [kW]		B		A		1x230V	3x230V 3x400V
				1x230V	3x230V 3x400V	1x230V	3x230V 3x400V		
BH3---6	MS 402	0,37	281	256	226	537	507	10	9
BH 3---6N	MS 4000R	2,2	326	573		899		26	
BH 3---6N	MS 4000R	0,75	326		398		724		18
BH 3---9	MS 402	0,55	344	291	241	635	585	12	10
BH 3---9N	MS 4000R	2,2	389	573		962		27	
BH 3---9N	MS 4000R	0,75	389		398		787		19
BH 3---12	MS 402	0,75	407	306	276	713	683	13	12
BH 3---12N	MS 4000R	2,2	452	573		1025		28	
BH 3---12N	MS 4000R	0,75	452		398		850		20
BH 3---15	MS 402	1,1	470	346	306	816	776	16	14
BH 3---15N	MS 4000R	2,2	515	573		1088		29	
BH 3---15N	MS 4000R	1,1	515		413		928		22
BH 3---18	MS 402	1,1	533	346	306	879	839	16	15
BH 3---18N	MS 4000R	2,2	578	573		1151		30	
BH 3---18N	MS 4000R	1,1	578		413		991		23
BH 3---22	MS 402	1,5	617	346	346	963	963	18	17
BH 3---22N	MS 4000R	2,2	662	573		1235		31	
BH 3---22N	MS 4000R	1,5	662		413		1075		24
BH 3---25	MS 402	1,5	680	346	346	1026	1026	18	18
BH 3---25N	MS 4000R	2,2	725	573		1298		32	
BH 3---25N	MS 4000R	1,5	725		413		1138		25
BH 3---29	MS 4000	2,2	764	573		1337		29	
BH 3---29	MS 402	2,2	764		346		1110		20
BH 3---29N	MS 4000R	2,2	809	573	453	1382	1262	33	28
BH 3---33	MS 4000	2,2	848	573		1421		30	
BH 3---33	MS 402	2,2	848		346		1194		21
BH 3---33N	MS 4000R	2,2	893	573	453	1466	1346	34	29
BH 3---39	MS 4000	3,0	1019		493		1512		32
BH 3---39N	MS 4000R	3,0	1019		493		1512		32
BH 3---45	MS 4000	3,0	1145		493		1638		34
BH 3---45N	MS 4000R	3,0	1145		493		1638		34
BH 3---52	MS 4000	4,0	1292		573		1865		41
BH 3---52N	MS 4000R	4,0	1292		573		1865		41
BH 3---60	MS 4000	4,0	1460		573		2033		43
BH 3---60N	MS 4000R	4,0	1460		573		2033		43

Professional



Vaš život , naša kvaliteta , diljem svijeta