

BH(Q) Potopne crpke



50 Hz

INOX POTOPNE PUMPE


DOSTUPNE IZ MATERIJALA : INOX-a 304

DOSTUPNE IZ MATERIJALA : INOX-a 316


STANDARD

N - VERZIJA

BHQ 14



Dimenzije i težine



Tip crpke	Motor		Dimenzije [mm]						Neto težina [kg]		
	Tip	Snaga [kW]	C	B		A		D	E	1x230V	3x230V 3x400V
				1x230V	3x230V 3x400V	1x230V	3x230V 3x400V				
BH 14---5	MS 402	1,5	510	346	346	856		95	101	18	17
BH 14---7	MS 4000	2,2	640	573		1213		95	101	29	
BH 14---7	MS 402	2,2	640		346		986	95	101		19
BH 14---10	MS 4000	3,0	835		493		1328	95	101		27
BH 14---13	MS 4000	4,0	1030		573		1603	95	101		33
BH 14---18	MS 4000	5,5	1355		673		2028	95	101		41
BH 14---25	MS 4000	7,5	1810		773		2584	95	101		67
BH 14---18	MS6	5,5	1417		535		1952	143	138		52
BH 14---25	MS6	7,5	1872		565		2437	143	138		60

E = Makimalni promjer crpke uključujući zaštitu kabela i motor.

Professional



Vaš život , naša kvaliteta , diljem svijeta