


# Hot Water 85°C

XHW  
RHW  
WHW  
WHWL

> 101 Accessories  
Accessori



Versions • Versioni

## XHW


1450 rpm  
N version ø 24 mm

## RHW


950 - 1450 rpm  
N version ø 24 mm

## WHW

WHWL  
1450 rpm  
N version ø 24 mm



# 178 SERIES




Base on request, see pag.105.  
Piedi a richiesta, vedi pag.105.

## N version Solid shaft pump / Pompa albero maschio

### XHW 1450 rpm N version Ø 24 mm

Pump - Pompa	Cod.	Output - Portata		Pressure - Pressione		Power - Potenza		RPM	Weight	Price
		l/min	gpm	bar	psi	hp	kw	N° giri/1'	Kg	€
XHW 08.15 N	<b>23972</b>	8	2.11	150	2200	3	2,2	1450	6,5	<b>697,00</b>
XHW 11.17 N	<b>22543</b>	11	2.90	170	2500	5	3,7	1450	6,5	<b>697,00</b>

# 228 SERIES



Base on request, see pag.105.  
Piedi a richiesta, vedi pag.105.


## N version Solid shaft pump / Pompa albero maschio

### RHW 950 rpm N version Ø 24 mm

Pump - Pompa	Cod.	Output - Portata		Pressure - Pressione		Power - Potenza		RPM	Weight	Price
		l/min	gpm	bar	psi	hp	kw	N° giri/1'	Kg	€
RHW 10.15 N	<b>22345</b>	10	2.64	150	2200	4	3	950	9	<b>759,00</b>


### RHW 1450 rpm N version Ø 24 mm

RHW 13.12 N	<b>22342</b>	13	3.43	120	1740	4	3	1450	9	<b>759,00</b>
RHW 13.17 N	<b>22343</b>	13	3.43	170	2500	5.5	4	1450	9	<b>759,00</b>
RHW 15.15 N	<b>22344</b>	15	3.96	150	2200	5.5	4	1450	9	<b>759,00</b>





1948501

Base on request, see pag.105.  
Piedi a richiesta, vedi pag.105.



Only for XLW 50.15 N pump



## N version Solid shaft pump / Pompa albero maschio

### WHW 1450 rpm N version Ø 24 mm

Pump - Pompa	Cod.	Output - Portata		Pressure - Pressione		Power - Potenza		RPM N° giri/1'	Weight Kg	Price €
		l/min	gpm	bar	psi	hp	kw			
WHW 15.20 N	<b>22986</b>	15	3.96	200	2900	7.5	5,5	1450	16	<b>1.030,00</b>
WHW 21.15 N	<b>22987</b>	21	5.55	150	2200	7.5	5,5	1450	16	<b>1.030,00</b>
WHW 26.15 N	<b>22988</b>	26	6.87	150	2200	10	7,5	1450	16	<b>1.030,00</b>
WHW 32.20 N	<b>22989</b>	32	8.45	200	2900	15	11	1450	16	<b>1.030,00</b>

### WHWL 1450 rpm N version Ø 24 mm

WHWL 38.15 N	<b>23966</b>	38	9.81	150	2200	15	11	1450	16,5	<b>1.085,00</b>
WHWL 42.15 N	<b>23967</b>	42	11.09	150	2200	16	11,8	1450	16,5	<b>1.085,00</b>
WHWL 50.15 N	<b>23968</b>	50	13.20	150	2200	20	15	1450	16,5	<b>1.085,00</b>